

Samford University Global Drug Information Service Publications

2008 Index – 4th Quarter



Instructions for use.

1. Locate term of interest.
2. Determine publication type, issue, page number. Publication type indicated by first letter: C=Clips, D=New Drug Fax Sheet, P=Pharmacy Précis, R=Rx T.I.P. Issue is the number that follows the letter. Page number follows issue by a colon.

Each quarter a cumulative index will be sent to each subscriber. The last quarter will be the final index for the year.

2-mercaptobenzothiazole	D16
A	
abacavir	C41:1, D14
abatacept	D31:3
Abilify	C44:2, D4:1, D15:2
acarbose	C1
Accolate	D12
ACCP	C28:1
Accretropin	D7:2
Accu-Chek Compact Plus	C33:2
Accuzyme	D41:1
acetaminophen	C21:2, C35:1, C50:1
Aciphex	D33:2
Aclovate	C20:2
Acomplia	C56:2
Actonel	C48:1, D1:2, D49
Actos	C1, D28, D51
acyclovir	C9:1
adalimumab	D15:2
adapalene	P1:7
Adenoscan	D45
adenosine	D45
ADHD	C20:1, C53, D15:2, D31:3, D33:2
Adipex	C56:2
adolescent depression	C4:1
Advair Diskus	D31:3
Advisory Committee on Immunization Practices	P3:1
Aggrenox	C34:2
AIDS	C41:1
AIRESMOG	C39:1
Akten	D48:1
alclometasone	C20:2
alendronate	C26:2, C48:1, D1:2, D49
Alinia	C54:2
aliskiren	D7:1, D29, P1:4
Allegra	D21, P1:7
allergic rhinitis	D15:2, D21, D31:2
Alli	P1:13
Aloxi	D15:2, D42:2
ALS	D40
Altabax	P1:5
Altace	D29, P1:9
alvimopan	D31:1, D47
Alzheimer's Disease	C19:1, C37
amantadine	P3:5
Amaryl	D51
Ambien	C8:1, C27:2
Ambien CR	C8:2, C27:2
ambrisentan	P1:3
American Academy of Family Physicians	C19:1

American Academy of Pediatrics	P3:8
American Academy of Sleep Medicine	C15:2
American Cancer Society	C18:1
American College of Cardiology	C5, C47:1, C51:2
American College of Clinical Pharmacy	C28:1
American College of Endocrinology	C33:1
American College of Gastroenterology	C51:2
American College of Physicians	C19:1
American Diabetes Association	C33:1
American Dietetic Association	C38:1
American Heart Association	C5, C32:1, C47:1, C51:2
American Psychiatric Association	C8:1
American Society of Health-Systems Pharmacists	C12:2, C17:1
aminocaproic acid	C25, D6:1
amiodarone	D34:1, D51
Amitiza	D31:3
amitriptyline	C44:1, C27:2, C21:1
amlodipine	D29, D35:2, P1:7, P1:10
ammonia	P1:4
Ammonul	D38
amoxicillin	C47:2
amoxicillin extended-release	D7:2
amphotericin B	C6
ampicillin	C47:2
Amrix	P1:7
amyotrophic lateral sclerosis	D40
Ancobon	C6
anticholinergics	C45:1
anticoagulant therapy	C36:1
Anticoagulation Forum	C36:1
antifibrinolytic therapy	D6:1
antifungal resistance	C6
antihemophilic factor	D15:1
antipsychotics	D25:1
Anzemet	C7:1
Apidra	D48:2
Aplenzin	D31:2
Apriso	D54:2
aprotinin	C25, D6:1, D22
Aptivus	D33:1
Aranesp	D10:1
Arcalyst	D15:1
Aredia	D49
Aricept	C19:1, C37
aripiprazole	C44:2, D4:1, D15:2
armodafinil	P1:11
Artiss	D20:1
arxoxifene	C26:2
Ascensia Breeze 2	C33:2

Samford University Global Drug Information Service Publications

Ascensia Contour	C33:2
ASHP	C12:2, C17:1
Asian patients	D50:1
aspirin	C17:1, C34:1, C35:1, C50:1, D51
asthma	C39:1
atazanavir	C41:1
atenolol	C44:1
atomoxetine	C53, D31:3
atorvastatin	D51
Atralin	P1:10
atrial fibrillation	C17:1, D49
Atrovent	C45:1
attention-deficit / hyperactivity disorder	C20:1, C53, D15:2, D31:3, D33:2
atypical antipsychotics	C16:1, D25:1
Avalide	D4:2
Avandia	C1, D28, D51
Avapro	D29
Avastin	D15:2
Avelox	D30:1
axillary hyperhidrosis	D3:1
Azasan	D24
Azasite	P1:7
azathioprine	D24
azithromycin	C47:2, P1:7
Azor	P1:10, D35:2
B	
baclofen	C44:2
Banzel	D54:1
barbiturate	C35:2
bariatric surgery	C10:1
BART study	C25
bazedoxifene	C26:2
becaplermin	D13, D41:2
bendamustin	D54:2
bendamustine	D20:1
Bentyl	C42:2
benzodiazepines	C8:1
benzphetamine	C56:2
betamethasone	C20:2, D31:2
bevacizumab	D15:2
Biaxin	C47:2
biliopancreatic diversion	C10:1
bipolar disorder	D15:2, D31:3
bisphosphonate	C26:1, C48:1, D1:1, D49
blepharospasm	D3:1
Blocadren	C44:1
blood coagulation	C46:1
blood glucose meters	C33:1
BMI	C32:2
body mass index	C32:1
bone mineral density	C48:1
Boniva	C48:1, D49, D54:2
bortezomib	D33:2, D42:2
Botox	C44:2, D3:1
botulinum toxin	C44:2, D3:1
breast cancer	D15:2
brimonidine	P1:10
bromocriptine	C15:2
bupropion	C18:1, C21:2, C52:1, C56:2, D31:2
Byetta	C56:2
Bystolic	P1:4

C	
<i>C. difficile</i>	C29:1, C30:1, C42:1, C54:1
cabergoline	C15:2
CABG procedure	D6:1
Calan	C14, C44:2, D51
calcipotriene	D31:2
calcitonin	C48:1
calcitonin-salmon	C26:1
calcium	C26:1, C48:1, D51
CaloMist	P1:11
caloric intake	C32:2
CAM	C2:1
carbamazepine	C15:2
cardiopulmonary bypass	D6:1
carisoprodol	C14
Catapress	C18:2, C52:2
CDC	P3:3
cefazolin	C47:2
cefipime	C57:2
cefotaxime	C57:1
ceftriaxone	C47:2, C57:1
Celebrex	C50:1
celecoxib	C50:1
Celexa	C21:2
CellCept	D18
cephalexin	C47:2, D51
cerebral palsy	D3:1
Cerebyx	D50:1
certolizumab	D31:1
cervical dystonia	D3:1
cetirizine	D21, P1:13
cevimeline	C3:2
chamomile	C8:2
Chantix	C18:2, C52:2, D2:1
Chapter <797>	C24:1
chicken pox	D42:2
children	C38:1
chlorpheniramine	D8:1
cholecalciferol	D32
cholestyramine	C42:2
chronic lymphocytic leukemia	D20:1
chronic obstructive pulmonary disease	C45:1, D11, D31:3
Cialis	D7:2
ciclesonide	P1:12
Cimzia	D31:1
Cipro	D30:1, D51
ciprofloxacin	D30:1, D51
citalopram	C21:2
Claforan	C57:1
Clarinox	D21
clarithromycin	C47:2
clevidipine	D35:1
Cleviprex	D35:1
clindamycin	C42:1, C47:2
clinical pharmacists	C28:1
clinical pharmacy services	C11:1
clobetasol	P1:11
clofarabine	D48:2
Clolar	D48:2
clonazepam	C15:2
clonidine	C18:2, C52:2
clopidogrel	C34:2, C51:1
<i>Clostridium difficile</i>	C29:1, C30:1, C42:1, C54:1

Samford University Global Drug Information Service Publications

clozapine	C52:1
coenzyme Q10	C13:2
Cognex	C19:2
Cognitive Behavioral Therapy	C27:2
colesevelam	C43:1, D28, D51
Colestid	C42:2
colestipol	C42:2
collagenase	D41:2
Combigan	P1:10
Compazine	C35:2
competencies	C28:1
complementary and alternative medicine	C2:1
compounded sterile products	C24:1
Concerta	D33:2
conivaptan	D48:1, P1:12
conjugated estrogens	D54:2
constipation	D46
conventional antipsychotics	D25:1
COPD	C45:1, D11, D31:3
Cardarone	D34:2, D51
Corgard	C44:1
cough and cold	D44:1
Coumadin	C17:1, C36:2, D51
Cozaar	D29
C-reactive protein	C55:1
Crestor	C13:2, C55:1, D51
Crohn's disease	D7:2, D31:1
Cryopyrin-Associated Periodic Syndromes	D15:1
Cubicin	D16
cyanocobalamin	P1:11
cyclobenzaprine	P1:7
Cymbalta	C21:1, D26, D33:2
Cytotec	C50:2
D	
D:A:D Study	D14
Dalmane	C8:1, C27:2
dalteparin	D19:2
daptomycin	D16
darbepoetin	D10:1
darunavir	C41:1
Daytrana	C20:1
deep vein thromboses	D52
delirium	C16:1
dementia	C19:1
denosumab	C26:2
Depacon	C35:2
Depakene	C15:2, C44:2, D51
Depakote	C44:2
depression	C4:1, D15:1, D26
desipramine	C21:1
desloratadine	D21
desonide	C20:2
desopramine	C44:2
desvenlafaxine	D15:1, D26
Desyrel	C8:2, C27:2
dexamethasone	C7:1
Dexedrine	C53
dexmedetomidine	D48:2
dexrazoxane	P1:11
dextroamphetamine	C53, D15:2
Diabeta	D51

diabetes	C1, C21:1, C32:2, C33:1, C43:1, D20:2, D28, D33:1, D42:2
Diabetes Control and Complication Trial	C33:1
diabetic peripheral neuropathy	C21:1
dichloralphenazone	C35:2
diclofenac	C50:1, P1:6, P1:7
dicyclomine	C42:2
didanosine	D14
Didrex	C56:2
Didronel	D49
diethylpropion	C56:2
Differin	P1:7
difimicin	C54:2
Diflucan	C6
difluprednate	D33:1
digoxin	D51
Dilantin	C21:2, D50:1, D51
dimebon	C37
dimenhydrinate	C7:1
Diovan	D4:2, D29
Diovan HCT	D35:2
diphenhydramine	C8:2, C20:2, C27:2
diphtheria	D33:1
Diprivan	C7:2
dipyridamole	C34:2
divalproex	C44:2
Divigel	P1:11
docosahexaenoic acid	C23:1
dolasetron	C7:1
donepezil	C19:1, C37
Doral	C8:1, C27:2
Doribax	C57:2, P1:4
doripenem	C57:2, P1:4
Dostinex	C15:2
doxepin	C44:2
doxylamine	C8:2
Dramamine	C7:1
droperidol	C7:1
drosipirenone	P1:12
dry mouth	C3:1
DTaP	D33:2
DTaP-IPV	D33:1
duloxetine	C21:1, D26, D33:2
Durezol	D33:1
E	
eculizumab	P1:14
Effexor-XR	C21:1, D26
eicosapentaenoic	C23:1
Elavil	C27:2, C44:2
eletriptan	C35:2
eltrombopag	D54:1
Emend	D7:2
emtricitabine	C41:1
Enbrel	D23
endocarditis	C47:1
Endometrin	P1:9
ENHANCE trial	C5
enoxaparin	D19:1, P1:13
Entereg	D31:1, D47
ephedrine	C7:2
Epivir	D14
epoetin	D39

Samford University Global Drug Information Service Publications

Epogen	D10:1
Eprex	D39
erectile dysfunction	D7:2
ergocalciferol	D32
ergotamine	C35:2
erlotinib	D37
erosive esophagitis	D4:1
erythropoiesis stimulating agents	D10:1, D39
erythropoietin	D10:1, D39
ESBLs	C57:1
esomeprazole	D15:2
estazolam	C8:1, C27:2
estradiol	P1:11
estrogen	C5, C37, C48:1
eszopiclone	C8:2, C27:2
etanercept	D23
ethinyl estradiol	P1:12
etidronate	D49
etravirine	C41:1, D7:1
European Federation of Neurological Societies	C15:2
Evamist	P1:11
Evista	C26:1, C48:1, D51, P1:13
Evoxac	C3:2
Exelon	C19:2, C37, P1:9
exenatide	C56:2
Exforge	D35:2, P1:10
extended-spectrum beta- lactamases	C57:1
Extina	P1:8
extrapyramidal symptoms	C16:1
Exubera	D17
ezetimibe	C5, C40:1, D34, D51
F	
Factive	D30:1
famciclovir	C9:1
Familial Cold Autoinflammatory Syndrome	D15:1
Famvir	C9:1
FDA	C14, C22:1, D1:1, D2:1, D3:1, D5:1, D8:1, D12, D13, D14, D18, D41:1
fenofibrate	D51, P1:11
fesoterodine	D54:1
feverfew	C35:2, C44:2
fexofenadine	D21, P1:7
fibrin sealant	D20:1
fibromyalgia	D33:2
Flagyl	C29, C30, C42:2, C54:1, D51
Flector	P1:6
Floxin	D30:1
Fluarix	P3:9
fluconazole	C6
flucytosine	C6
FluLaval	P3:9
FluMist	P3:7
fluoroquinolone	C42:1, D30:1
fluoxetine	C44:1, C56:2
flurazepam	C8:1, C27:2
fluticasone	D31:3, P1:6
fluvoxamine	D31:3, P1:7
Fluzone	P3:4
folic acid	C10:2, C21:2

formoterol	P1:7
Forteo	C26:1, C48:1
Fortical	C26:1, C48:1
Fosamax	C26:2, C48:1, D1:2, D49
fosamprenavir	C41:1, P1:6
fosaprepitant	D7:2
fosphenytoin	D50:1
Fragmin	D19:2
fresh frozen plasma	C36:2
furosemide	D51
G	
gabapentin	C9:1, C14, C15:2, C21:1
galantamine	C19:1, C37
Gamunex	D42:1
gastroesophageal reflux disease	D4:1, D15:2, D20:2, D33:2
gastroplasty	C10:1
gemifloxacin	D30:1
GERD	D4:1, D15:2, D20:2, D33:2
glimepiride	D51
glipizide	D51
glucometer	C33:1
Glucophage	D51
glucosamine	C49
Glucotrol	D51
glyburide	D51
granisetron	C7:1, D42:2
H	
H2 antagonist	C50:2
Halcion	C8:1, C27:2
Haldol	C16:1, D25:1, C35:2
haloperidol	C7:2, C16:1, C35:2, D25:1
hand hygiene	C42:2
HCTZ	D4:2, D7:1, D29, D35:2, D51
headache	C35:1
healthy children	C38:1
heart failure	C13:1, C31
Hemophilia A	D15:1
heparin	D9, D19:1
hepatitis B	D35:2
herpes zoster	C9:1
Hib	D33:1
HIV	C41:1, D7:1, D14, D33:1
HLA-B*1502	D50:1
HMG-CoA reductase inhibitors	C13:1, D40
hops	C8:2
human growth hormone	D7:2, D42:1
Humira	D15:2
Huntington's Disease	D35:2
Hycamtin	P1:6
hydrochlorothiazide	D4:2, D7:1, D29, D35:2
hydrocodone	D8:1
hydrocortisone	C20:2, P1:8
hydroxyethyl starch	D4:1
hydroxyzine	C20:2
hypercholesterolemia	C5
hyperphenylalaninemia	D4:2

Samford University Global Drug Information Service Publications

hypertension	C31, D35:1
I	
ibandronate	C48:1, D49, D54:2
ibuprofen	C50:1
idiopathic thrombocytopenic purpura	D35:1
imipenem/cilastatin	C57:2
Imitrex	C35:2
immune globulin	D42:1
IMROVE-IT trial	C40:2
Inapsine	C7:1
incontinence	D27
Inderal	C44:1
inflammatory demyelinating polyneuropathy	D42:1
influenza	D5:1, P3:1
inhaled insulin	D17
Innohep	D52
insomnia	C8:1, C27:1
insulin	C43:1
insulin aspart	D20:2, D42:1
insulin aspart protamine	D42:1
insulin glulisine	D48:2
insulin pump	D20:2
Intelence	C41:1, D7:1
International AIDS Society	C41:1
intravenous immune globulin	C54:1, D42:1
Invega	P1:13
ipratropium	C45:1
IPV	D33:2
irbesartan	D4:2, D29
iron	C10:2, C15:1
Isentress	C41:1, P1:3
isomethheptene	C35:2
Isoptin	D51
itraconazole	C6
IVIG	C54:1, D42:1
ixabepilone	P1:2
Ixempra	P1:2
J	
Janumet	P1:10
Januvia	D28, D51
Joint Commission	C36:1
JUPITER Trial	C55:1
juvenile arthritis	D31:3
juvenile idiopathic arthritis	D15:2
K	
kava kava	C8:2
Keflex	C47:2, D51
Keppra XR	D42:2
ketoconazole	P1:8
ketoprofen	C44:2
ketorolac	C7:2
Kinrix	D33:2
Klonopin	C15:2
Kuvan	D4:2, P1:3
Kytril	C7:1
L	
lacosamide	D48:1
lactobacillus	C54:2
Lamictal	C21:1
Lamisil	P1:10

lamivudine	C41:1, D14
lamotrigine	C21:1
Lanoxin	D51
lanreotide	P1:5
laparoscopic adjustable gastric banding	C10:1
lapatinib	P1:2
lasofoxifene	C26:1
lavender	C8:2
leg cramps	C14
lemon balm	C8:2
Letairis	P1:3
Levaquin	D30:1
levetiracetam ER	D42:2
levocetirizine	D15:2, D21, P1:12
levodopa	C15:1
levofloxacin	D30:1
levonorgestrel	P1:12
levothyroxine	D51, P1:8
Lexiscan	D20:2, D45
Lexiva	P1:6
Lialda	P1:8
lidocaine	C21:2, D48:1, P1:8
Lidoderm	C21:2
Lioresal	C44:2
Lipitor	D51
Liquadd	D15:2
lisdexamfetamine	D31:3, P1:4
lisinopril	D29
lisuride	C15:2
Locoid	P1:8
lopinavir	C41:1
Lopressor	D51
lorcaserin	C56:2
losartan	D29
Lou Gehrig's Disease	D40
lovastatin	D51
Lovaza	P1:13
Lovenox	D19:1, P1:13
lubiprostone	D31:3
Lunesta	C8:2, C27:2
lung malignancies	D17
Luvox	D31:3, P1:7
Lybrel	P1:12
Lyrica	C9:1, C21:1
M	
major depressive disorder	C4:1
maraviroc	C41:1, P1:2
Maxalt	C35:2
Maxipime	C57:2
MedGuide	C22:1
medication guides	C22:1
medroxyprogesterone	C5
melatonin	C8:2
memantine	C19:2, C37
Meridia	C56:2
meropenem	C57:2
Merrem	C57:2
mesalamine	D31:2, D54:2, P1:8
Metanx	C21:2
metformin	C1, D28, D33:1, D51, P1:10
methadone	C21:2
methylatnaxone	D46, D31:1
methylphenidate	C20:1, C53, D33:2

Samford University Global Drug Information Service Publications

metoclopramide	C35:2
metoprolol	C44:1, D51
metronidazole	C29:1, C30:1, C42:2, C54:1, D51
Mevacor	D51
Miacalcin	C48:1
Midrin	C35:2
migraine	C35:1, C44:1, D31:2
minocycline	D24
Mirapex	C15:2
mirtazepine	C27:2
misoprostol	C50:2
MOA-B inhibitors	C52:2
montelukast	C44:2, D12
Motrin	C50:1
Moxatag	D7:2
moxifloxacin	D30:1
Muckle-Wells Syndrome	D15:1
multi-dose vials	C24:2
multiple myeloma	D33:2, D42:2
mycophenolate	D18
mycophenolic acid	D18
Myfortic	D18
Myobloc	D3:1
myocardial infarction	C50:1, C51:1
myocardial perfusion imaging	D45
N	
n-3 fatty acids	C23:1
nadolol	C44:1
Namenda	C19:2, C37
Naprosyn	C44:2, C50:1
naproxen	C44:2, C50:1, D31:2
Nardil	C44:2
natalizumab	D7:2
National Center for Complementary and Alternative Medicine	C2:1
National Institute for Health and Clinical Excellence	C53
National Institutes of Health	C10:1
nausea and vomiting	D7:2, D42:2
neбиволол	P1:4
Neupro	C15:2, P1:5
Neurontin	C9:1, C14, C15:2, C21:1
Nexavar	D4:2
Nexium	D15:2
niacin	D51
NICE guidance	C53
nicotine	C52:1
nicotine replacement therapy	C18:1, C52:1
nilotinib	P1:5
nitazoxanide	C54:2
Nolvadex	C26:1
nonsteroidal anti-inflammatory drugs	C35:1, C50:1
Norflex	C14
norfloxacin	D30:1
Noroxin	D30:1
Norpramin	C44:2, C52:2
nortriptyline	C18:2, C44:2, C52:2
Norvasc	D29
Novolog	D20:2
Novolog Mix 50/50	D42:1
Nplate	D35:1
NRTIs	D14
NSAIDs	C35:1, C50:1

nucleoside reverse transcriptase inhibitors	C41, D14
Nuvigil	P1:11
O	
obesity	C32:1, C56:1
OBRA-90	C12:1
obsessive compulsive disorder	D31:3
OCD	D31:3
ofloxacin	D30:1
olanzapine	C16:2, C27:2, C44:2
olmesartan	D35:2, P1:10
olopatadine	D31:2
Olux-E	P1:11
omega-3 fatty acids	C23:1, P1:13
omeprazole	D20:2, P1:12
Omnaris	P1:12
Omnitrope	D42:1
ondansetron	C7:1
Opana ER	D15:2
oral contraceptives	D51
Oraverse	D31:2
Orencia	D31:3
orlistat	C56:2, P1:13
orphenadrine	C14
Orudis	C44:2
oseltamivir	P3:5, D5:1
ospemifene	C26:1
osteoarthritis	C49, C50:1
osteoporosis	C26:1, C48:1
overactive bladder	D27
overweight children	C38:1
oxcarbazepine	C21:1
oxycodone	C15:2
oxymorphone	D15:2
P	
paliperidone	P1:13
palonosetron	D15:2, D42:2
Pamelor	C18:2, C44:2
pamidronate	D49
pantoprazole	D4:1, P1:8
papain	D41:1
papaya	D41:1
parenteral products	C24:1
Parlodel	C15:2
paroxetine	C21:2
passion flower	C8:2
Patanase	D31:2
patient education	C12:1
patient package inserts	C22:1
Paxil	C21:2
PDGF	D41:2
Pentacel	D33:1
Perforomist	P1:7
pergolide	C15:2
Permax	C15:2
perphenazine	C7:1
pertussis	D33:1
pharmacists' interventions	C31
phendimetrazine	C56:2
phenelzine	C44:2
phentermine	C56:2
phentolamine	D31:2
phenylketonuria	D4:2
Phenytek	D50:1

Samford University Global Drug Information Service Publications

phenytoin	C21:2, D50:1, D51
pilocarpine	C3:2
pioglitazone	C1, D28, D51
platelet-derived growth factor	D41:2
Plavix	C34:2, C51:1
PML	D36
poliomyelitis	D33:1
PONV	C7:1, D15:2
postherpetic neuralgia	C9:1
postoperative ileus	D46, D47
postoperative nausea and vomiting	C7:1, D15:2
potassium chloride	D53
PPI	C42:1, C50:2, C51:1
pramipexole	C15:2
pramlintide	C56:2
Prandimet	D33:1
Prandin	D51
Precedex	D48:2
pregabalin	C9:1, C21:1
Premarin	D54:2
Prempro	C5
pressure ulcers	D41:1
Prilosec	D20:2
Primaxin	C57:2
Pristiq	D15:1, D26
probiotics	C42:2, C54:2
prochlorperazine	C7:2, C35:2
Procrit	D10:1
progesterone	C26:1, P1:9
progressive multifocal leukoencephalopathy	D18, D36
Promacta	D54:1
promethazine	C7:2
propofol	C7:2
propoxyphene	C15:2
propranolol	C44:1
Proquin XR	D30:1
ProSom	C8:1, C27:2
prothrombin complex	C36:2
proton pump inhibitor	C42:1, C50:2, C51:1
Protonix	D4:1, P1:8
Prozac	C44:2, C56:2
psoriasis	D31:2
PTH (1-84)	C26:2
pulmonary emboli	D52
Q	
Qualaquin	C14
Quality Assurance Survey	P2:1
quazepam	C8:1, C27:2
Questran	C42:2
quetiapine	C16:2, C27:2, D4:2, D31:3, D48:2, P1:9, P1:13
quinidine	D51
quinine	C14
R	
rabeprazole	D33:2
raloxifene	C26:1, C48:1, D51, P1:13
raltegravir	C41:1, P1:3
ramelteon	C8:2, C27:2
ramipril	D29, P1:9
ramoplanin	C42:2, C54:2
Ranexa	D54:2

ranolazine	D54:2
Rapaflo	D48:2
Razadyne	C19:1, C37
ReadyMED	D16
Reclast	C48:2, D49, P1:6
recombinant factor VIIa	C36:2
Recothrom	D7:1
regadenoson	D20:2, D45
Reglan	C35:2
Regranex	D13, D41:2
Relenza	P3:5
Relistor	D31:1, D46
Relpax	C35:2
Remeron	C27:2
Renvela	P1:9
repaglinide	D33:1, D51
Requip	C15:2
restless leg syndrome	C15:1
Restoril	C8:1, C15:2, C27:2
retapamulin	P1:5
Retrovir	D14
rhabdomyolysis	D34:1
rheumatoid arthritis	C49, D36
rifalizal	C42:2
rifaximin	C54:1, C42:2
rilonacept	D15:1
rimantadine	P3:5
rimonabant	C56:2
risedronate	C48:1, D1:2, D49
Risperdal	C16:1
risperidone	C16:1
Ritalin	C53
ritonavir	C41:1
Rituxan	D36
rituximab	D36
rivastigmine	C19:2, C37, P1:9
rizatriptan	C35:2
RLS	C15:1
Rocephin	C47:2, C57:1
romiplostim	D35:1
ropinirole	C15:2
rosiglitazone	C1, D28, D51
rosuvastatin	C13:2, C55:1, D51
Rotarix	D20:1
rotavirus vaccine	D20:1
rotigotine	C15:2, P1:5
roux-en-Y gastric bypass	C10:1
Rozerem	C8:2, C27:2
rufinamide	D54:1
S	
<i>Saccharomyces boulardii</i>	C54:2
salmeterol	D31:3
Sanctura	P1:10
Sanctura-XR	D27
Sancuso	D42:2
Santyl	D41:2
saproterin	D4:2, P1:3
saquinavir	C41:1
schizophrenia	D4:2
scopolamine	C7:2
SEAS trial	C40:1
seizures	D42:2
Selzentry	C41:1, P1:2
SERMs	C48:1
Seroquel	C16:2, C27:2, D31:3

Samford University Global Drug Information Service Publications

Seroquel XR	D4:2, D48:2, P1:9, P1:13
sevelamer	P1:9
Shao-yao-gan-cao-tang	C14
SHARP study	C40:2
Shingles Prevention Study	C9:2
sibutramine	C56:2
silodosin	D48:2
Simcor	D34:1
simvastatin	C5, C40:1, D34:1, D51, P1:9
Sinequan	C44:2
Singular	C44:2, D12
sitagliptin	D28, D51, P1:10
Skelid	D49
skin ulcers	D13
skullcap	C8:2
smoking cessation	C18:1, C52:1
Society of Ambulatory Anesthesia	C7:1
sodium benzoate	D38
sodium phenylacetate	D38
Soliris	P1:14
Solodyn	D24
Soma	C14
somatropin	D7:2, D42:1, P1:12
Somatuline Depot	P1:5
Sonata	C8:2, C27:2
sorafenib	D4:2
Spiriva	C45:1, D11, D43:1
Sporanox	C6
starch plasma volume expander	D4:1
statins	C13:1, C40:2, D40
stavudine	D14
Stevens Johnson syndrome	D50:1
Strattera	C53, D31:3
stroke	C17:1, D39
strontium ranelate	C26:2
suicide	D12
sulfonylurea	C1
sumatriptan	C35:2, D31:2
Symlin	C56:2
Synthroid	D51
T	
Taclonex	D31:2
tacrine	C19:2
tadalafil	D7:2
Tamiflu	D5:1, P3:5
tamoxifen	C26:1
Tarceva	D37
Tasigna	P1:5
Tegretol	C15:2
Tekturna	D29, P1:4
Tekturna HCT	D7:1
temazepam	C8:1, C15:2, C27:2
temsirolimus	P1:3
tendon rupture	D30:1
tendonitis	D30:1
tenofovir	C41:1, D35:2
Tenormin	C44:1
terbinafine	P1:10
teriparatide	C26:1, C48:1
tesofensine	C56:2
tetanus	D33:1
tetrabenazine	D35:2
theophylline	C52:1, D51

thiamine	C10:2
thiazolidinedione	C1
thrombin	D7:1
thrombosis	C46:1
thrombus formation	C46:1
Thyrogen	D4:2
thyrotropin alfa	D4:2
tigecycline	C57:2
tiludronate	D49
timolol	C44:1, P1:10
tinzaparin	D52
tiotropium	C45:1, D11, D43:1
tipranavir	D33:1
Tirosint	P1:8
tizanidine	C44:2
tobacco dependence	C52:1
tolevamer	C54:2
Topamax	C21:2, C44:2, C52:2, C56:2
topiramate	C21:2, C44:2, C52:2, C56:2
topotecan	P1:6
Toprol	C44:1
Toradol	C7:2
torcetrapib	C5
Torisel	P1:3
Totect	P1:11
Tovalt	P1:10
Toviaz	D54:1
toxic epidermal necrolysis	D50:1
tramadol	C15:2, C21:2, C35:2
tranexamic acid	C25, D6:1
transcutaneous electrical nerve stimulation	C7:2
Trasylol	C25, D6:1, D22
trazodone	C8:2, C27:2
Treanda	D20:1, D54:2
tretinoin	P1:10
Treximet	D31:2
triamcinolone	C20:2, D33:2, P1:6
triazolam	C8:1, C27:2
Tricor	D51
tricyclic antidepressants	C9:1, C21:1, C44:1
Triesence	P1:6
Trilafon	C7:1
Trileptal	C21:1
triptans	C35:2
Trivaris	D33:2
tropium	D27, P1:10
tuberculosis	D23
tumor necrosis factor blocker	D31:1
Tussionex	D8:1
Tygacil	C57:2
Tykerb	P1:2
Tysabri	D7:2
U	
U.S. Preventive Services Task Force	C56:1
ubiguinone	C13:2
ulcerative colitis	D31:2
ulcers	D41:1
Ultracet	C21:2
Ultram	C15:2, C21:2, C35:2
United Kingdom Prospective Diabetes Study	C33:1

Samford University Global Drug Information Service Publications

UPLIFT trial	D43:1
Urea	D41:1
urticaria	D15:2, D21
USP Chapter <797>	C24:1
V	
valacyclovir	D42:2
valerian root	C8:2, C27:2
valproic acid	C15:2, C35:2, C44:2, D51
valsartan	D4:2, D29, D35:2, P1:10
Valtrex	D42:2
Valtropin	P1:12
Vancocin	C29, C30, C42:2
vancomycin	C29:1, C30:1, C42:2, C54:1
Vaprisol	D48:1, P1:12
varenicline	C18:2, C52:2, D2:1
varicella zoster	C9:1
Velcade	D33:2, D42:2
venlafaxine	C21:1, D15:1, D26
Veramyst	P1:6
verapamil	C14, C44:2, D51
Videx	D14
Vimpat	D48:1
Viread	D35:2
vitamin A	C10:2
vitamin B ₁₂	C10:2
vitamin D	C26:1, C48:1, D32, D51
vitamin E	C14, C37
vitamin K	C36:2
Voltaren	P1:7
Voluven	D4:1
Vytorin	C5, C40:1, D34:1
Vyvanse	D31:3, P1:4
W	
warfarin	C17:1, C36:2, D51
Welchol	C43:1, D28, D51
Wellbutrin	C21:2, C56:2

wounds	D41:1
X	
Xenazine	D35:2
Xenical	C56:2
xerostomia	C3:1
Xifaxan	C42:2, C54:2
xylitol gum	C3:2
Xyntha	D15:1
Xyzal	D15:2, D21, P1:12
Y	
Yaz	P1:12
Z	
zafirlukast	D12
zaleplon	C8:2, C27:2
Zanaflex	C44:2
zanamivir	P3:5
Zerit	D14
Zetia	D51
Ziagen	D14
zidovudine	D14
zileuton	D12, P1:10
Zingo	P1:8
Zithromax	C47:2
Zocor	D34:1, D51
Zofran	C7:1
zoledronic acid	C48:1, D49, P1:6
Zollinger-Ellison Syndrome	D4:1
zolpidem	C8:1, C27:2, P1:10
Zometa	D49
Zonegran	C56:2
zonisamide	C56:2
Zostavax	C9:1
Zovirax	C9:1
Zyban	C18:1, C52:1
Zyflo	D12
Zyflo CR	P1:10
Zyprexa	C16:2, C27:2, C44:2
Zyrtec	D21, P1:13